

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Client: Gifted

Address: 12995 S. Cleveland Ave Fort Myers, FL 33907

Project: THC-P KEIF PRE-ROLL- STICKY DRIP

Lab Sample Number: F801101-01

Date Sampled: 08/05/2026

Date Received: 08/05/2026

Compliance for Retail | State(s): GA & FL

SUMMARY



THC & CBD


POTENCY

Tested



TERPENES

Not Tested



PESTICIDES

Pass



HEAVY METALS

Pass




RESIDUAL SOLVENTS

Pass



MICROBIAL TESTING

Pass



MYCOTOXINS

Pass



MOISTURE CONTENT

Not Tested




FOREIGN MATERIALS

Pass



WATER ACTIVITY

Pass



HOMOGENEITY

Not Tested

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Behzadi

Dr. Harry Behzadi, PhD.
President, CEO



THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Statutory Regulations & Compliance Summary

Report Preface:

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise by client or other authorized party. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

Manufacturer Information

Manufactured by:	N/A
Address:	N/A
Hemp Food Establishment Permit No.:	2026-R-2186845
Food Entity No.:	393546
FDA Registration No.:	N/A
Distributor Food Establishment Permit No.:	N/A
Distributor Entity No.:	N/A

If provided, the current and valid permit numbers for the manufacturing facility, issued by the governing human health or food safety regulatory authority, are listed above. These permits document and confirm that the facility meets the authority's human health or food safety sanitation requirements as of the date of issuance. These permits are maintained by the manufacturer; the permit numbers are included for informational purposes only. As an independent testing laboratory, AccuScience Laboratories is not the custodian or authority of these records, does not verify their authenticity, and assumes no liability for their status or the facility's ongoing compliance.

Regulatory Compliance Framework & Declaration(s):


This **Certificate of Analysis (COA)** provides analytical test results for the identified batch according to the requirements of Florida Statute Section **581.217** and **Rule 5K-4.034**, governed by the Florida Department of Agriculture and Consumer Services (FDACS). The **Pass/Fail** designations indicated within the contaminant screening sections of this report—including heavy metals, mycotoxins, pesticides, residual solvents, and pathogens—are based strictly on the limits established by **Rule 5K-4.034**.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Cannabinoids Summary Profile



delta-8-THC (%)	21.30
CBD (%)	0.54
delta-9-THCP (%)	5.12
Others	5.17
Total:	32.14

32.14 (%)
**Total
Cannabinoids**

<LOQ (%)
Δ9-THC

<LOQ (%)
Total THC

0.545 (%)
Total CBD

Definitions and Abbreviations:

Total CBD = CBD + (CBDA * 0.877), **Total THC** = Delta 9 THC + (Delta 9 THCA * 0.877), **LOQ** = Limit of Quantitation, **ND** = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Potency (As Received)

Tested

Date Prepared: 08/05/2026
Date Analyzed: 08/07/2026
Lab Batch: B26C432

Prep ID: CF
Analyst ID: AH

Sample Prep: 1.0294 g / 10 mL
Prep/Analysis Method: ACCU LAB SOP15
Instrument(s): HPLC-DAD & GC-MS

Analyte	CAS Number	Dilution	LOQ % (wt/wt)	Results	
				% (wt/wt)	mg/g
Cannabichromene (CBC)	20675-51-8	50	0.0486	0.115	1.15
Cannabichromenic acid (CBCA)	185505-15-1	50	0.0486	ND	ND
Cannabidiol (CBD)	13956-29-1	50	0.0486	0.320	3.20
Cannabidiolic acid (CBDA)	1244-58-2	50	0.0486	0.256	2.56
Cannabidivarinic acid (CBDVA)	31932-13-5	50	0.0486	ND	ND
Cannabigerol (CBG)	25654-31-3	50	0.0486	1.27	12.70
Cannabigerolic acid (CBGA)	25555-57-1	50	0.0486	3.200	32.00
9(R)-Hexahydrocannabinol (9R-HHC)	36403-90-4	500	0.486	ND	ND
Cannabinol (CBN)	521-35-7	50	0.0486	0.244	2.44
Δ8-Tetrahydrocannabinol (Δ8-THC)	5957-75-5	50	0.0486	21.30	213.00
9(S)-Hexahydrocannabinol (9S-HHC)	36403-91-5	500	0.486	ND	ND
Δ9-Tetrahydrocannabinol (Δ9-THC)	1972-08-3	50	0.0486	<LOQ	<LOQ
Δ9-Tetrahydrocannabinolic acid (THCA)	23978-85-0	50	0.0486	ND	ND
9(R)-Hexahydrocannabiphorol (9R-HHCP)	3051970-87-4	50	0.0486	ND	ND
Tetrahydrocannabivarinic acid (THCVA)	39986-26-0	50	0.0486	ND	ND
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	51768-60-6	50	0.0486	0.052	0.52
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	54763-99-4	50	0.0486	5.12	51.20
Tetrahydrocannabivarin (THCV)	31262-37-0	20	0.0800	ND	ND
Δ8-Tetrahydrocannabinol-O-phosphate (Δ8-THC-O Phosphate)	67600-84-4	20	0.0800	ND	ND
Δ9-Tetrahydrocannabinol-O-acetate (Δ9-THC-O Acetate)	23132-17-4	20	0.0800	ND	ND
Δ10-Tetrahydrocannabinol (Δ10-THC)	95543-62-7	20	0.0800	0.040	0.40
Δ9(11)-exo-Tetrahydrocannabinol (Δ9(11)-exo-THC)	16849-44-8	20	0.0800	ND	ND
Total HHC		20	0.0800	ND	ND
Total HHCP		20	0.0800	ND	ND
Total CBD		100	0.0971	0.545	5.45
Total THC				<LOQ	<LOQ

Definitions and Abbreviations:

Total CBD = CBD + (CBDA * 0.877), **Total THC** = Delta 9 THC + (Delta 9 THCA * 0.877), **LOQ** = Limit of Quantitation, **ND** = Non-Detect

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Pesticides

Pass

Date Prepared: 08/05/2026

Prep ID: JM

Sample Prep: 1.0294 g / 10 mL

Date Analyzed: 08/07/2026

Analyst ID: AJ

Instrument(s): LC-MS/MS & GC-MS

Lab Batch: B26C543

Analysis Method: ACCU LAB SOP18

Analyte	Dil.	Action Limit ppb	LOQ ppb	Results ppb	Status
Abamectin	10	100	4.9	ND	Pass
Acequinocyl	10	100	4.9	ND	Pass
Aldicarb	10	100	4.9	ND	Pass
Bifenazate	10	100	4.9	ND	Pass
Boscalid	10	100	4.9	ND	Pass
Carbofuran	10	100	4.9	ND	Pass
Chlorfenapyr	10	100	4.9	ND	Pass
Chlorpyrifos	10	100	4.9	ND	Pass
Coumaphos	10	100	4.9	ND	Pass
Cypermethrin	10	500	4.9	ND	Pass
Diazinon	10	100	4.9	ND	Pass
Dimethoate	10	100	4.9	ND	Pass
Ethoprophos	10	100	4.9	ND	Pass
Etoxazole	10	100	4.9	ND	Pass
Fenoxycarb	10	100	4.9	ND	Pass
Fipronil	10	100	4.9	ND	Pass
Fludioxonil	10	100	4.9	ND	Pass
Imazalil	10	100	4.9	ND	Pass
Kresoxim methyl	10	100	4.9	ND	Pass
Metalaxyl	10	100	4.9	ND	Pass
Methomyl	10	100	4.9	ND	Pass
Myclobutanil	10	0	4.9	ND	Pass
Oxamyl	10	500	4.9	ND	Pass
Permethrin	10	100	4.9	ND	Pass
Piperonyl butoxide	10	3,000	4.9	ND	Pass
Propiconazole	10	100	4.9	ND	Pass
Pyrethrins	10	500	4.9	ND	Pass
Spinetoram J	10	200	4.9	ND	Pass
Spinosyn A	10	100	4.9	ND	Pass
Spiromesifen	10	100	4.9	ND	Pass
Spiroxamine	10	100	4.9	ND	Pass
Thiacloprid	10	100	4.9	ND	Pass
Trifloxystrobin	10	100	4.9	ND	Pass
Chlordane	1	100	24	ND	Pass
Pentachloronitrobenzene	1	150	24	ND	Pass

Analyte	Dil.	Action Limit ppb	LOQ ppb	Results ppb	Status
Acephate	10	100	4.9	ND	Pass
Acetamiprid	10	100	4.9	ND	Pass
Azoxystrobin	10	100	4.9	ND	Pass
Bifenthrin	10	100	4.9	ND	Pass
Carbaryl	10	500	4.9	ND	Pass
Chlorantraniliprole	10	1,000	4.9	ND	Pass
Chlormequat	10	1,000	4.9	ND	Pass
Clofentezine	10	200	4.9	ND	Pass
Cyfluthrin	10	500	4.9	ND	Pass
Daminozide	10	100	4.9	ND	Pass
Dichlorvos	10	100	4.9	ND	Pass
Dimethomorph	10	200	4.9	ND	Pass
Etofenprox	10	100	4.9	ND	Pass
Fenhexamid	10	100	4.9	ND	Pass
Fenpyroximate	10	100	4.9	ND	Pass
Flonicamid	10	100	4.9	ND	Pass
Hexythiazox	10	100	4.9	ND	Pass
Imidacloprid	10	400	4.9	ND	Pass
Malathion	10	200	4.9	ND	Pass
Methiocarb	10	100	4.9	ND	Pass
Mevinphos	10	100	4.9	ND	Pass
Naled	10	250	4.9	ND	Pass
Paclobutrazol	10	100	4.9	ND	Pass
Phosmet	10	100	4.9	ND	Pass
Prallethrin	10	100	4.9	ND	Pass
Propoxur	10	100	4.9	ND	Pass
Pyridaben	10	200	4.9	ND	Pass
Spinetoram L	10	200	4.9	ND	Pass
Spinosyn D	10	100	4.9	ND	Pass
Spirotetramat	10	100	4.9	ND	Pass
Tebuconazole	10	100	4.9	ND	Pass
Thiamethoxam	10	500	4.9	ND	Pass
Captan	1	700	120	ND	Pass
Methyl parathion	1	100	24	ND	Pass

Definitions and Abbreviations:

LOQ = Limit of Quantitation, **Dil.** = Dilution Factor, **ppb** = parts per billion, **ND** = Non-Detect, **DET** = Detected.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Mycotoxins

Pass**Date Prepared:** 08/05/2026**Extracted By:** JM**Sample Prep:** 1.0294 g / 10 mL**Date Analyzed:** 08/05/2026**Analyzed By:** AJ**Instrument:** LC-MS/MS**Lab Batch:** B26C455**Analysis Method:** ACCU LAB SOP18

Analyte	CAS Number	Dil.	Action Limit ng/g	LOQ ng/g	Results ng/g	Status
Aflatoxin B1	1162-65-8	10	20	1.0	ND	Pass
Aflatoxin B2	7220-81-7	10	20	1.0	ND	Pass
Aflatoxin G1	1165-39-5	10	20	1.0	ND	Pass
Aflatoxin G2	7241-98-7	10	20	1.0	ND	Pass
Ochratoxin A	303-47-9	10	20	1.0	ND	Pass

Definitions and Abbreviations:LOQ = Limit of Quantitation, Dil. = Dilution Factor, **ppb** = parts per billion, **ND** = Non-Detect, **DET** = Detected.

Heavy Metals

Pass**Date Prepared:** 08/05/2026**Digested By:** CF**Sample Prep:** 1.05 g / 50 mL**Date Analyzed:** 08/07/2026**Analyzed By:** JG**Instrument:** ICP-MS**Lab Batch:** B26C245**Analysis Method:** ACCU LAB SOP19

Analyte	CAS Number	Dil.	Action Limit ppb	LOQ ppb	Results ppb	Status
Arsenic	7440-38-2	1	200	24	ND	Pass
Cadmium	7440-43-9	1	200	24	ND	Pass
Lead	7439-92-1	1	500	24	ND	Pass
Mercury	7439-97-6	1	200	24	ND	Pass

Definitions and Abbreviations:LOQ = Limit of Quantitation, Dil. = Dilution Factor, **ppb** = parts per billion, **ND** = Non-Detect, **DET** = Detected.

Total Contaminant Load

Total Contaminant Load	Action Limit ppb	Results ppb	Status
Total Contaminant Load - Pesticides & Herbicides	5,000	ND	Pass
Total Contaminant Load - Heavy Metals	5,000	ND	Pass
Total Contaminant Load - Overall Sum	5,000	ND	Pass

Total Contaminant Load (TCL): The sum of all Heavy Metals and Agricultural Agents present above the LOQ.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Microbials

Pass

Date Prepared: 08/05/2026

Date Analyzed: 08/05/2026

Lab Batch: B26C235

Analysis Method: ACCU LAB SOP14 (Microbials Analysis)

Analyte	Action Limit	Sample Prep	ID Prep/ Analyst	Results				Status
				LOQ CFU/g	Quantitation CFU/g	Quantitative Technique	PCR Detection	
Total Yeast and Mold	10000 CFU/ 1 g	1 g / 1 g	EG/EG	10000	ND	Plate	N/A	Pass
Total Plate Count / Aerobic	100000 CFU/ 1 g	1 g / 1 g	EG/EG	100000	ND	Plate	N/A	Pass
Bacteria								
Bile tolerant gram negative	1000 CFU/ 1 g	1 g / 1 g	EG/EG	500	ND	PCR	N/A	Pass
bacteria								
Aspergillus Flavus	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
Aspergillus Fumigatus	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
Aspergillus Niger	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
Aspergillus Terreus	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
E. coli specific gene	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
E. coli/shigella spp.	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
Salmonella specific gene	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
STEC	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
Stx1 gene	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass
Stx2 gene	1 CFU/ 1 g	1 g / 1 g	EG/ES	1	N/A	N/A	ND	Pass

Definitions and Abbreviations:

LOQ = Limit of Quantitation, (CFU/g) = Colony Forming Unit per gram, (ND) = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Residual Solvents

Pass

Date Prepared: 08/05/2026

Prep ID: DH

Sample Prep: 0.1088 g / 1 mL

Date Analyzed: 08/07/2026

Analyst ID: DH

Instrument: Headspace GC-FID

Lab Batch: B26C543

Analysis Method: ACCU LAB SOP16

Analyte	CAS Number	Dil.	Action Limit ppm	LOQ ppm	Results ppm	Status
1,1-Dichloroethene	75-35-4	1	8	0.37	ND	Pass
1,2-Dichloroethane	107-06-2	1	2	0.37	ND	Pass
2-Propanol (IPA)	67-63-0	1	500	1.8	ND	Pass
Acetone	67-64-1	1	750	0.37	ND	Pass
Acetonitrile	75-05-8	1	60	1.8	ND	Pass
Benzene	71-43-2	1	1	0.0092	ND	Pass
Butane	106-97-8	1	5,000	0.18	ND	Pass
Chloroform	67-66-3	1	2	0.0092	ND	Pass
Ethanol	64-17-5	1	5,000	0.37	ND	Pass
Ethyl acetate	141-78-6	1	400	1.8	ND	Pass
Ethyl ether	60-29-7	1	500	0.92	ND	Pass
Ethylene oxide	75-21-8	1	5	0.37	ND	Pass
Methanol	67-56-1	1	250	1.8	ND	Pass
Methylene chloride	75-09-2	1	120	0.92	ND	Pass
n-Heptane	142-82-5	1	5,000	0.37	ND	Pass
n-Hexane	110-54-3	1	250	0.37	ND	Pass
Pentane	109-66-0	1	750	0.12	ND	Pass
Propane	74-98-6	1	5,000	0.37	ND	Pass
Toluene	108-88-3	1	150	0.37	ND	Pass
Total Xylenes	1330-20-7	1	150	0.23	ND	Pass
Trichloroethene	79-01-6	1	25	0.37	ND	Pass

Definitions and Abbreviations:

LOQ = Limit of Quantitation, Dil. = Dilution Factor, ppm = parts per million, ND = Non-Detect, DET = Detected.

Water Activity

Pass

Date Prepared: 08/05/2026

Prep ID: MH

Sample Prep: 0.5 g / 0.5 g

Date Analyzed: 08/06/2026

Analyst ID: MH

Instrument: Rotronic Water Activity Probe

Lab Batch: B26C235

Analysis Method: ACCU LAB SOP10

Analyte	Action Limit A_w	Result A_w	Status
Water Activity	0.65	0.59	Pass

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

THC-P KEIF PRE-ROLL- STICKY DRIP - INDICA - BATCH # GIFTEDSD-6K

Lab Sample Number: F801101-01 - Date reported: Aug 13, 2026

Foreign Materials

Pass

Date Prepared: 08/05/2026

Prep ID: MH

Sample Prep: 1 g / 1 g

Date Analyzed: 08/06/2026

Analyst ID: MH

Instrument: Visual Inspection

Lab Batch: B26B352

Analysis Method: ACCU LAB SOP04

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	0%	Pass	Pass

Vitamin E (Tocopheryl Acetate)

Pass

Date Prepared: 08/05/2026

Prep ID: WM

Sample Prep: 1 g / 1 g

Date Analyzed: 08/06/2026

Analyst ID: WM

Instrument: LC-MS/MS

Lab Batch: B26B355

Analysis Method: ACCU LAB SOP13.741

Analyte	CAS Number	Dil.	Action Limit ppb	LOQ ppb	Results ppb	Status
Tocopheryl Acetate (Vitamin E Acetate)	7695-91-2	1	0	200	ND	Pass

2,3-butanedione(Diacetyl)

Pass

Date Prepared: 08/05/2026

Prep ID: WM

Sample Prep: 1 g / 1 g

Date Analyzed: 08/06/2026

Analyst ID: WM

Instrument: GCMS-HS

Lab Batch: B26B532

Analysis Method: ACCU LAB SOP13.039

Analyte	Action Limit ppm	LOQ ppm	Results	Status
2,3-Butanedione	0	0.2	ND	Pass

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.